Protect Your Pool, Protect Your Kids Checklist

In NSW, 12 children under five years of age drowned in 2010-11, with a further 64 children being admitted to hospital for near drowning. Children under five years of age have the highest drowning rate out of any age group, with approximately 50% occurring in swimming pools.

Inadequate pool fencing continues to be a major factor in the rate of drowning and near drowning among children under five years of age. Pool fencing gives added protection by restricting access to the pool area.

All pool owners should check their swimming pool regularly throughout the year, especially in the months leading up to summer.

Please be aware that pool fencing legislation is different in all the states and territories within Australia and this checklist relates to NSW only.

Serious penalties apply for anyone who does not comply with the Swimming Pools Act 1992 (NSW).



For more information please visit http://kidshealth.schn.health.nsw.gov.au and click on the drowning prevention link under the projects tab.











Swimming Pool Laws and Your Circumstances

The Swimming Pools Act 1992 (NSW) requires private swimming pool owners to ensure that their pools is at all times surrounded by a child-resistant barrier that separates the pool from any residential building on the property as well as from any public or private place adjoining the property.

Generally, a compliant barrier is a four-sided fence to a specified standard that surrounds the pool.

However, various standards and certain exemptions apply depending on when the pool was built and the nature of the property on which your pool is located. For example, these may allow use of child-resistant doors and window locks to separate the residence from the pool in limited circumstances.

Contact your local council for advice on the type of barrier your pool requires and the standard to which it must be built.

Swimming pool register

After 29 April 2013 - Have you

registered your pool on the state-

As of 29 October 2013, all swimming pools must be registered on the state-wide pool register. The pool register will be available from 29 April 2013. As part of the registration process, pool owners must certify to the best of their knowledge that their pool barrier complies with the regulations. Fines apply for pool owners who do not register their swimming pool.

□ Yes

No- Contact your local council,

private certifier or visit the online

wide pool register?		website provided by the NSW State Government to register your swimming pool.
Swimming pool inspections		
As of 29 April 2014, all tourist and visit	tor accom	modation or properties where there

as of 29 April 2014, all tourist and visitor accommodation or properties where there are more than two dwellings must have a swimming pool inspection at least once every three years.

Dwelling means a room or suite of rooms occupied or used or so constructed or adapted as to be

capable of being occupied or used as a separate domicile. This includes town houses/ villas, residential flats and apartments. Common pools in housing estates, community estates, caravan parks, camping grounds etc. with a pool.

All local council swimming pool inspection programs for their local area comments.

All local council swimming pool inspection programs for their local area commence no later than 29 October 2013. Local councils can charge pool owners up to \$150 for the first inspection and up to \$100 if a second inspection is needed (if faults are

identified at the first inspection). Contact your local council for further information.

As of 29 April 2014, all residential properties with a swimming pool must have a

valid certificate of compliance before the property can be leased or sold.

Pool owners may engage either the local council or an accredited certifier to inspect

the pool barrier for the issue of a certificate of compliance.
Certificates of compliance are valid for three years.

Skimmer boxes		
Since 1993, all pools and spas in NSW due to the severe internal injuries that box, especially the old 'potty' style skin	can occur	from sitting on the pool's skimmer
Does your skimmer box have a permanent dome shaped protective lid and a safety skirt that can only be removed by the use of a tool?	□ Yes	No – Fix a permanent protective lid to the filter inlet. Manufacturers or repairers of fibreglass pools should be able to carry out these repairs (you can find them in the Yellow Pages). Also, your local swimming pool supplier may have a low cost conversion kit for the old style skimmer box.
Dangerous skimmer hox	Saf	e modified skimmer hox
Dangerous skimmer box New Swimming Pools	Saf	e modified skimmer box
New Swimming Pools Under the Work Health and Safety Regrequired on all new pools under constrarising from the excavation work. This empty pool, or drowning if water is presented.	<i>fulations 2</i> uction to a includes s	2011 (Cth), temporary fencing is avoid risks to health and safety topping children falling into an
New Swimming Pools Under the Work Health and Safety Reg required on all new pools under constr arising from the excavation work. This	<i>fulations 2</i> uction to a includes s	2011 (Cth), temporary fencing is avoid risks to health and safety topping children falling into an
New Swimming Pools Under the Work Health and Safety Regrequired on all new pools under constrarising from the excavation work. This empty pool, or drowning if water is present to you have temporary fencing around your pool as it's being built? Have you received approval from your local council before building a new swimming pool?	fulations 2 uction to a includes s sent in the	2011 (Cth), temporary fencing is avoid risks to health and safety topping children falling into an e pool after it rains.
New Swimming Pools Under the Work Health and Safety Regrequired on all new pools under constrarising from the excavation work. This empty pool, or drowning if water is present to you have temporary fencing around your pool as it's being built? Have you received approval from your local council before building a	fulations 2 uction to a includes sent in the	2011 (Cth), temporary fencing is avoid risks to health and safety topping children falling into an e pool after it rains. No– Install temporary fencing No- Contact your local council

Pool Internal Fence- Height—see separat	le section	for boundary rences
Is your pool fence at least 1.2m above the ground from finished ground level?	□ Yes	☐ No- Contact a Licensed Builder, Pool Technician or Fencing Contractor straight away.
Pool Fence- Non Climbable Zone		
Have you made sure trees, shrubs or any other objects such as a BBQ, pot plants, toys, ladders and chairs are outside of the 90cm Non Climbable Zone? (measured in an arc shape from the top of the outside of the pool fence arching towards the ground) There must be no permanent structures	☐ Yes	□ No- Trees or shrubs near the pool barrier and other objects such as a BBQ, pot plants, toys, ladders and chairs should not come within the 90cm non climbable zone so a child can not use them to climb over the fence.
of the pool fence. Non-pool structures su		
boatsheds, ramp/pontoon or sheds are	_	
boatsheds, ramp, pentoen or sheds are	not anowe	24 to be within the poor area.
Minimum barrier height 1.2 metres Pool area Pool Min 900 mm NCZ Steps, re walls, let to be 500 barrier	I area etaining vel changes 0 mm from	
POOL Ground level		
Landscaping, associated lighting and any other fixtures or is not to intrude into the Non-Climbable Zone (NCZ)	furniture	
Pool Fence- Vertical Gaps		
If the fence contains vertical bars, are	☐ Yes	☐ No- Contact a Licensed
the gaps between these bars no more		Builder, Pool Technician or
than 10cm?		Fencing Contractor straight away.
Note: Maximum 10cm spacing to allow for flex		
of bar and usually measures less than 9cm		
Pool Fence- Horizontal Climbable Bars		
Are the horizontal bars on the fence at	☐ Yes	□ No- Contact a Licensed
least 90cm apart from each other?		Builder, Pool Technician or
		Fencing Contractor straight away.
Pool Fence- Gap at the Bottom of the Fe	nce	
Is the gap at the bottom of the pool	☐ Yes	☐ No- Contact a Licensed
fence no more than 10cm from		Builder, Pool Technician or
finished ground level?		Fencing Contractor straight away.







п



□ Yes	☐ No- Any loose bolts, screws and fasteners should be tightened or replaced.
□ Yes	□ No- Manufacturers of the pool fence and gate should provide you with written instructions on how to maintain your pool fence and gate. This may include the regular replacement of springs and regular spraying of self closing gate hinges, locks and latches with lubricating oil or silicone that can help to prevent many of the faults relating to self closing and self latching gates.
cation	
☐ Yes	□ No- If your latching device is less than 150cm above ground level, it must be located on the inside of the pool fence, at least 15cm below the top of the gate, with a shield fitted around the latch of at least 45cm radius.
Sign	
☐ Yes	☐ No- Buy and install a CPR sign from your local Pool Shop, Council or Community Organisations such as St John Ambulance the Australian Red Cross or The Royal Life Saving Society.
	□ Yes cation □ Yes Sign

Pool- Gates, Self Closing & Latching Dev	ices	
Does your pool gate swing outwards	☐ Yes	\square No- The pool gate must be re-
(away from the pool area)?		hung so it swings outwards (away
		from the pool area).
Does your pool gate automatically shut	☐ Yes	☐ No- The pool gate should be
without having to forcibly close it from		permanently fastened until a new
any open position?		lock and closing device can be
		installed. Self closing and self
		latching devices can be
Does your pool gate automatically lock	☐ Yes	purchased from most pool shops and hardware shops and are fairly
(self latch) when the gate closes?		easy to install.
Do you make sure you never prop your	☐ Yes	No- Always shut the gate and
pool gate open?	⊔ ies	never prop the gate open.
	l Fonce	nover prop the gate open.
Boundary Fence Used as Part of the Poo		
If you have any horizontal bars on the	☐ Yes	□ No- Contact a Licensed
inside of the boundary fence, are they outside of the 90cm Non Climbable		Builder, Pool Technician or
Zone? (measured in an arc shape		Fencing Contractor to provide you
from the top of the inside of the pool		with a compliant solution.
fence arching towards the ground)		
	Loop The	n 100am Above the Cround
		n 180cm Above the Ground
Swimming pools and barriers constructed	ed prior to	1 September 2008 may have child
Swimming pools and barriers constructed safe windows as part of the pool fence	ed prior to or barrier.	1 September 2008 may have child The requirements for older pools
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are different	ed prior to or barrier nt to the r	1 September 2008 may have child The requirements for older pools equirements for new pools
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are different including child-resistant windows. If the	ed prior to or barrier. Int to the r windows	1 September 2008 may have child The requirements for older pools equirements for new pools as part of the pool barrier are not
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate	ed prior to or barrier of to the r windows e standard	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows.	ed prior to or barrier of to the r windows e standard ow require	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply with current child-resistant.	ed prior to or barrier. Int to the r windows e standard ow require	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your loss.	ed prior to or barrier. Int to the r windows e standard ow require with curren	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il.
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your lost of you have child-safe windows that	ed prior to or barrier. Int to the r windows e standard ow require	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il.
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your loss.	ed prior to or barrier. Int to the r windows e standard ow require with curren	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il.
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your lost of you have child-safe windows that form part of a pool barrier, do they	ed prior to or barrier. Int to the r windows e standard ow require with curren	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. No- The exemption of child-safe windows is no longer allowed
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your look of the part of a pool barrier, do they have a locking device or a security	ed prior to or barrier. Int to the r windows e standard ow require with curren	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. Description:
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriated comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your lost fyou have child-safe windows that form part of a pool barrier, do they have a locking device or a security screen that prevents them from	ed prior to or barrier. Int to the r windows e standard ow require with curren	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. Description No- The exemption of child-safe windows is no longer allowed to be installed. You are required to comply with current child-
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your lost of a pool barrier, do they have a locking device or a security screen that prevents them from opening more than 10cm? If you have child-resistant windows that form part of a pool barrier, is the	ed prior to or barrier, nt to the r windows e standard ow require vith currer cal counc	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. No- The exemption of child-safe windows is no longer allowed to be installed. You are required to comply with current child-resistant window requirements.
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your lost of a pool barrier, do they have a locking device or a security screen that prevents them from opening more than 10cm? If you have child-resistant windows that form part of a pool barrier, is the openable part of the window covered	ed prior to or barrier, nt to the r windows e standard ow require vith currer cal counc	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. No- The exemption of child-safe windows is no longer allowed to be installed. You are required to comply with current child-resistant window requirements. No- Install bars or a mesh screen (maximum gap 10cm) to cover the window opening.
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows requirements. Please check with your lost of a pool barrier, do they have a locking device or a security screen that prevents them from opening more than 10cm? If you have child-resistant windows that form part of a pool barrier, is the openable part of the window covered by permanently fixed bars or a mesh	ed prior to or barrier, nt to the r windows e standard ow require vith currer cal counc	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. No- The exemption of child-safe windows is no longer allowed to be installed. You are required to comply with current child-resistant window requirements. No- Install bars or a mesh screen (maximum gap 10cm) to cover the window opening. Bars and mesh screens can be
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows rebuilt may also be required to comply we requirements. Please check with your lost of a pool barrier, do they have a locking device or a security screen that prevents them from opening more than 10cm? If you have child-resistant windows that form part of a pool barrier, is the openable part of the window covered	ed prior to or barrier, nt to the r windows e standard ow require vith currer cal counc	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. No- The exemption of child-safe windows is no longer allowed to be installed. You are required to comply with current child-resistant window requirements. No- Install bars or a mesh screen (maximum gap 10cm) to cover the window opening. Bars and mesh screens can be purchased from your local
Swimming pools and barriers constructed safe windows as part of the pool fence including child-safe windows are differed including child-resistant windows. If the maintained according to the appropriate comply with current child-resistant windows requirements. Please check with your lost of a pool barrier, do they have a locking device or a security screen that prevents them from opening more than 10cm? If you have child-resistant windows that form part of a pool barrier, is the openable part of the window covered by permanently fixed bars or a mesh	ed prior to or barrier, nt to the r windows e standard ow require vith currer cal counc	1 September 2008 may have child. The requirements for older pools equirements for new pools as part of the pool barrier are not d, then you may be required to ements. Barriers that are altered or nt child-resistant window il. No- The exemption of child-safe windows is no longer allowed to be installed. You are required to comply with current child-resistant window requirements. No- Install bars or a mesh screen (maximum gap 10cm) to cover the window opening. Bars and mesh screens can be

Child Resistant Doors		
Some older swimming pools might inclu This is no longer allowed in the building rebuilt.		
If you have a door that forms part of a pool barrier, does it self close?	☐ Yes	
If you have a door that forms part of a pool barrier, does it self latch?	☐ Yes	
If you have a door that forms part of a pool barrier, is the latching device located at least 150cm off the floor and able to be operated from both sides of the door?	□ Yes	☐ No The exemption of child-safe doors is no longer allowed to be installed. You may be required to
If you have a door that forms part of a pool barrier, have you made sure there are no footholds wider than 1cm on the door or its frame between the floor and 100cm above the floor?	☐ Yes	install a four sided fence around your swimming pool. Please check with your local council.
If you have a door that forms part of a pool barrier, have you made sure there are no pet doors?	☐ Yes	
Above Ground Pools and Inflatable Pool	S	
If you have an above ground pool, does it have a fence?	☐ Yes	
If you have an inflatable or portable pool that is capable of being filled with more than 30cm of water, does it have a fence?	□ Yes	☐ No - Install a child resistant fence.









Spa Pools		
Does your spa pool have a fence around it?	□ Yes	☐ No- Install a child resistant fence OR you must ensure that the spa is covered and secured by a lockable child-safe structure (such as a door, lid, grille or mesh) when the spa is not in use.
Other checks		
Have you checked that all electrical components and pumps meet electrical safety requirements and are properly covered?	☐ Yes	☐ No- Check that your spa is marked with a mandatory electrical safety approval number or a Regulatory Compliance Mark. This mark usually includes a capital letter for your state or territory in Australia (for example, N for NSW), and a certificate number.
Do you have a CPR sign near your spa that is in good condition and can be read from a distance of 3 metres?	☐ Yes	☐ No- Buy and install a CPR sign from your local Pool Shop, Council or Community Organisations such as St John Ambulance the Australian Red Cross or The Royal Life Saving Society.









Renters

All rental agreements should include the responsibilities for the maintenance of the swimming pool. The tenant must notify the landlord of any damage or repairs needed. The tenant may carry out urgent repairs that causes the premises to be unsafe (which would include faults to the swimming pool fence) if the landlord or agent cannot be contacted or does not carry out urgent repairs within a reasonable time.